

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.





# CAROL PLANTATION

## SATSUMAS AND KUMQUATS (On Citrus Trifoliata Stock)

ONE YEAR AND OLDER TOPS

ON

TWO YEAR AND OLDER ROOTS

PER TREE

**\$1.00 AND UP IN ANY QUANTITY.**

**EVERY TREE in Our Nurseries has a  
PRODUCTIVE Ancestor.**

The Satsuma Orange needs no introduction to the orchardist of the Gulf-coast country. These trees have proven themselves exceptionally hardy to all weather conditions—freezes, droughts, and wind-storms.

We use especial care in the selection of bud wood, only propagating from trees that are bearing fruit of known quality and quantity. Only by planting trees of known parentage can the orchardist be reasonably certain that his Orange grove will produce a high percentage of first-class fruit.

## PAPER SHELL PECANS

### Budded and Grafted

	Less than 10	10 to 50	50 to 500
2 to 3 ft. ....	\$ .90 each	\$ .80 each	\$ .70 each
3 to 4 ft. ....	1.00 “	.90 “	.80 “
4 to 5 ft. ....	1.15 “	1.00 “	.90 “
5 to 6 ft. ....	1.30 “	1.10 “	1.00 “
6 to 7 ft. ....	1.50 “	1.20 “	1.10 “
7 to 8 ft. ....	1.70 “	1.40 “	1.30 “

Varieties to offer—Schley, Stewart and Success.

**THEODORE, ALABAMA**

# CAROL PLANTATION

## SUGGESTIONS For PLANTING

### Satsuma and Pecan Trees

Location is of primary importance. Special attention should be given to drainage, both water and air, the latter being especially important in the selection of a site for citrus plantings. Soils should be thoroughly prepared before planting by plowing and discing. On new land, wherever possible, a leguminous crop of some kind, preferably velvet beans or cowpeas, should be grown and plowed under previous to planting. **Holes much larger, both in width and depth, than the root-systems of trees to be planted should be dug, filling in with well-pulverized top soil.** Remove any portions of the root-system which have become broken or bruised in handling, using a sharp knife or pruning shears in making cuts.

A tree should be set out at about the same depth as it stood in the nursery row and all roots placed in their natural positions, care being used not to crowd or break the roots in packing soil around them. If conditions are such that trees cannot be planted upon arrival, they should be unpacked and heeled-in. Dig a trench, with one side sloping to the south at about a 25 degree angle (so that the cold winds from the north will carry over the trees and not head into the roots and dry them out), sufficiently deep to allow all roots to be fully covered. Remove trees from shipping case and place same carefully in trench, covering lightly with loose soil. Water thoroughly and place balance of soil removed from trench over the roots. Trees thus cared for will keep until ready to plant. In handling trees, **NEVER ALLOW THE ROOTS TO BECOME DRY.** More trees are lost this way than any other.

Order your trees and plant them as soon after they become dormant, as possible. Don't wait until the last minute. December and January are the best months. By planting early, it allows the trees to become firmly set before the new growth begins in the spring.

THEODORE, ALABAMA

# CAROL PLANTATION

## ROSES

We take great pride in the compliments we receive on our roses, which are budded and grafted to Wax Rose and Manetti Stock. We grow all our own budwood from stock which we imported from Alexander Dickson & Son, Ireland, Europe's greatest rosarians, and have the following varieties to offer:

George Dickson (Crimson).  
Hugh Dickson (Carmine Red).  
John Hopper (Pink).  
Lady Roberts (Copper Red).  
Mrs. George Shawyer (Salmon Pink).  
Prince Camille (Deep Crimson).  
Ulrich Brunner (Cherry Red).  
White American Beauty (White).  
(Formerly known Frau Karl Druschki).

	Each	Per Doz.	Per 100
1 Year Old.....	\$1.00	\$10.00	\$75.00

## SUGGESTIONS FOR PLANTING.

Rose beds can be prepared any time during summer or early in the fall. Excavate hole to depth of 3 feet; fill with old meadow or garden soil, mixing in cow, **not horse**, manure, with some bone dust and coarse ground bone, and ground phosphate rock. In November after bushes are planted cover beds for a depth of several inches with new cow manure. During the rose growing season hoe soil at least once a week, thus keeping ground free from weeds, pulverizing the soil and improving capillarity of moisture. In very cold climate cover bushes with straw during winter months.

**We guarantee to refund purchase price, if, one year after planting, our rose bushes have not given perfect satisfaction. The purchaser to return at our expense, all bushes purchased from us.**

THEODORE, ALABAMA